



NTN BEARING-BOWER CORP.



22338CAME4C4VE Bearing 2D drawings and 3D CAD models

7.48 Inch | 190 Millimeter x 15.748 Inch | 400 Millimeter x 5.197 Inch | 132 Millimeter NSK 22338CAME4C4VE Spherical Roller Bearings

Bearing No. 22338CAME4C4VE

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	75
EAN	0029176406553
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch - Metric	Metric
Long Description	190MM Straight Bore; 400MM Outside Diameter; 132MM Width; C4-Extra Loose Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing



NTN BEARING-BOWER CORP.

UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	22338CAME4C4VE
Weight / LBS	90
B	5.197 Inch 132 Millimeter
d	7.48 Inch 190 Millimeter
D	15.748 Inch 400 Millimeter
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
bore diameter:	190 mm
maximum rpm:	1100 RPM
outside diameter:	400 mm
operating temperature range:	Maximum of +200 ° C
overall width:	132 mm
cage material:	Brass
bore type:	Straight
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	132 mm
dynamic load capacity:	1890000 N
fillet radius:	5 mm



NTN BEARING-BOWER CORP.

static load capacity:	2590000 N
series:	223